

Pro informace o L, L3 a L4max. použijte rozkládací tabulku karbidových vrtáků.



■ B041A/B042A • ~3 x D/~5 x D



- první volba
- alternativní volba


průměr D1

krátké • KC7325	dlouhé • KC7325	mm	palce	L5	LS	D
B041A01000CPG	B042A01000CPG	1,000	.0394	0,1	28	4
B041A01016CPG	B042A01016CPG	1,016	.0400	0,1	28	4
B041A01041CPG	B042A01041CPG	1,041	.0410	0,2	28	4
B041A01067CPG	B042A01067CPG	1,067	.0420	0,2	28	4
B041A01092CPG	B042A01092CPG *	1,092	.0430	0,2	28	4
B041A01100CPG	B042A01100CPG	1,100	.0433	0,2	28	4
B041A01181CPG	B042A01181CPG	1,181	.0465	0,2	28	4
B041A01191CPG	B042A01191CPG	1,191	.0469	0,2	28	4
B041A01200CPG	B042A01200CPG	1,200	.0472	0,2	28	4
B041A01300CPG	B042A01300CPG	1,300	.0512	0,2	28	4
B041A01321CPG	B042A01321CPG	1,321	.0520	0,2	28	4
B041A01397CPG	B042A01397CPG	1,397	.0550	0,2	28	4
B041A01400CPG	B042A01400CPG	1,400	.0551	0,2	28	4
B041A01500CPG	B042A01500CPG	1,500	.0591	0,2	28	4
B041A01600CPG	B042A01600CPG	1,600	.0630	0,2	28	4
B041A01700CPG	B042A01700CPG	1,700	.0669	0,3	28	4
B041A01800CPG	B042A01800CPG	1,800	.0709	0,3	28	4
B041A01900CPG	B042A01900CPG	1,900	.0748	0,3	28	4
B041A01984CPG	B042A01984CPG	1,984	.0781	0,3	28	4
B041A02000CPG	B042A02000CPG	2,000	.0787	0,3	28	4
B041A02100CPG	B042A02100CPG	2,100	.0827	0,3	28	4
B041A02200CPG	B042A02200CPG	2,200	.0866	0,3	28	4
B041A02300CPG	B042A02300CPG	2,300	.0906	0,4	28	4
B041A02383CPG	B042A02383CPG	2,383	.0938	0,4	28	4
B041A02400CPG	B042A02400CPG	2,400	.0945	0,4	28	4
B041A02439CPG	B042A02439CPG	2,439	.0960	0,4	28	4
B041A02489CPG	B042A02489CPG	2,489	.0980	0,4	28	4
B041A02500CPG	B042A02500CPG	2,500	.0984	0,4	28	4
B041A02578CPG	B042A02578CPG	2,578	.1015	0,4	28	4
B041A02600CPG	B042A02600CPG	2,600	.1024	0,4	28	4
B041A02642CPG	B042A02642CPG	2,642	.1040	0,4	28	4
B041A02700CPG	B042A02700CPG	2,700	.1063	0,4	28	4

(pokračování na další straně)

(B041A/B042A • ~3 x D/~5 x D — pokračování)

Karbidové vrtáky



- první volba
- alternativní volba


průměr D1

krátké • KC7325	dlouhé • KC7325	mm	palce	L5	LS	D
B041A02705CPG	B042A02705CPG	2,705	.1065	0,4	28	4
B041A02779CPG	B042A02779CPG	2,779	.1094	0,4	28	4
B041A02800CPG	B042A02800CPG	2,800	.1102	0,5	28	4
B041A02820CPG	B042A02820CPG	2,820	.1110	0,5	28	4
B041A02870CPG	B042A02870CPG	2,870	.1130	0,5	28	4
B041A02900CPG	B042A02900CPG	2,900	.1142	0,5	28	4
B041A02947CPG	B042A02947CPG	2,947	.1160	0,5	28	4
B041A03000CPG	B042A03000CPG	3,000	.1181	0,5	36	6
B041A03048CPG	B042A03048CPG	3,048	.1200	0,5	36	6
B041A03100CPG	B042A03100CPG	3,100	.1220	0,5	36	6
B041A03175CPG	B042A03175CPG	3,175	.1250	0,5	36	6
B041A03200CPG	B042A03200CPG	3,200	.1260	0,5	36	6
B041A03264CPG	B042A03264CPG	3,264	.1285	0,5	36	6
B041A03300CPG	B042A03300CPG	3,300	.1299	0,5	36	6
B041A03400CPG	B042A03400CPG	3,400	.1339	0,6	36	6
B041A03455CPG	B042A03455CPG	3,455	.1360	0,6	36	6
B041A03500CPG	B042A03500CPG	3,500	.1378	0,6	36	6
B041A03571CPG	B042A03571CPG	3,571	.1406	0,6	36	6
B041A03600CPG	B042A03600CPG	3,600	.1417	0,6	36	6
B041A03658CPG	B042A03658CPG	3,658	.1440	0,6	36	6
B041A03700CPG	B042A03700CPG	3,700	.1457	0,6	36	6
B041A03734CPG	B042A03734CPG	3,734	.1470	0,6	36	6
B041A03800CPG	B042A03800CPG	3,800	.1496	0,6	36	6
B041A03900CPG	B042A03900CPG	3,900	.1535	0,6	36	6
B041A03970CPG	B042A03970CPG	3,970	.1563	0,7	36	6
B041A04000CPG	B042A04000CPG	4,000	.1575	0,7	36	6
B041A04039CPG	B042A04039CPG	4,039	.1590	0,7	36	6
B041A04090CPG	B042A04090CPG	4,090	.1610	0,7	36	6
B041A04100CPG	B042A04100CPG	4,100	.1614	0,7	36	6
B041A04200CPG	B042A04200CPG	4,200	.1654	0,7	36	6
B041A04217CPG	B042A04217CPG	4,217	.1660	0,7	36	6
B041A04300CPG	B042A04300CPG	4,300	.1693	0,7	36	6
B041A04366CPG	B042A04366CPG	4,366	.1719	0,7	36	6
B041A04400CPG	B042A04400CPG	4,400	.1732	0,7	36	6
B041A04500CPG	B042A04500CPG	4,500	.1772	0,7	36	6
B041A04600CPG	B042A04600CPG	4,600	.1811	0,8	36	6
B041A04623CPG	B042A04623CPG	4,623	.1820	0,8	36	6
B041A04700CPG	B042A04700CPG	4,700	.1850	0,8	36	6
B041A04763CPG	B042A04763CPG	4,763	.1875	0,8	36	6
B041A04800CPG	B042A04800CPG	4,800	.1890	0,8	36	6
B041A04852CPG	B042A04852CPG	4,852	.1910	0,8	36	6
B041A04900CPG	B042A04900CPG	4,900	.1929	0,8	36	6
B041A05000CPG	B042A05000CPG	5,000	.1969	0,8	36	6
B041A05100CPG	B042A05100CPG	5,100	.2008	0,8	36	6
B041A05106CPG	B042A05106CPG	5,106	.2010	0,8	36	6
B041A05159CPG	B042A05159CPG	5,159	.2031	0,9	36	6
B041A05200CPG	B042A05200CPG	5,200	.2047	0,9	36	6
B041A05300CPG	B042A05300CPG	5,300	.2087	0,9	36	6
B041A05400CPG	B042A05400CPG	5,400	.2126	0,9	36	6
B041A05410CPG	B042A05410CPG	5,410	.2130	0,9	36	6
B041A05500CPG	B042A05500CPG	5,500	.2165	0,9	36	6
B041A05558CPG	B042A05558CPG	5,558	.2188	0,9	36	6

(pokračování na další straně)

(B041A/B042A • ~3 x D/~5 x D — pokračování)

Karbidové vrtáky



● první volba

○ alternativní volba



průměr D1

krátké • KC7325	dlouhé • KC7325	mm	palce	L5	LS	D
B041A05600CPG	B042A05600CPG	5,600	.2205	0,9	36	6
B041A05616CPG	B042A05616CPG	5,616	.2211	0,9	36	6
B041A05700CPG	B042A05700CPG	5,700	.2244	1,0	36	6
B041A05800CPG	B042A05800CPG	5,800	.2283	1,0	36	6
B041A05900CPG	B042A05900CPG	5,900	.2323	1,0	36	6
B041A05954CPG	B042A05954CPG	5,954	.2344	1,0	36	6
B041A06000CPG	B042A06000CPG	6,000	.2362	1,0	36	6
B041A06100CPG	B042A06100CPG	6,100	.2402	1,0	36	8
B041A06200CPG	B042A06200CPG	6,200	.2441	1,0	36	8
B041A06300CPG	B042A06300CPG	6,300	.2480	1,1	36	8
B041A06350CPG	B042A06350CPG	6,350	.2500	1,1	36	8
B041A06400CPG	B042A06400CPG	6,400	.2520	1,1	36	8
B041A06500CPG	B042A06500CPG	6,500	.2559	1,1	36	8
B041A06528CPG	B042A06528CPG	6,528	.2570	1,1	36	8
B041A06600CPG	B042A06600CPG	6,600	.2598	1,1	36	8
B041A06630CPG	B042A06630CPG	6,630	.2610	1,1	36	8
B041A06700CPG	B042A06700CPG	6,700	.2638	1,1	36	8
B041A06746CPG	B042A06746CPG	6,746	.2656	1,1	36	8
B041A06800CPG	B042A06800CPG	6,800	.2677	1,1	36	8
B041A06900CPG	B042A06900CPG	6,900	.2717	1,2	36	8
B041A07000CPG	B042A07000CPG	7,000	.2756	1,2	36	8
B041A07100CPG	B042A07100CPG	7,100	.2795	1,2	36	8
B041A07145CPG	B042A07145CPG	7,145	.2813	1,2	36	8
B041A07200CPG	B042A07200CPG	7,200	.2835	1,2	36	8
B041A07300CPG	B042A07300CPG	7,300	.2874	1,2	36	8
B041A07400CPG	B042A07400CPG	7,400	.2913	1,3	36	8
B041A07500CPG	B042A07500CPG	7,500	.2953	1,3	36	8
B041A07541CPG	B042A07541CPG	7,541	.2969	1,3	36	8
B041A07600CPG	B042A07600CPG	7,600	.2992	1,3	36	8
B041A07700CPG	B042A07700CPG	7,700	.3031	1,3	36	8
B041A07800CPG	B042A07800CPG	7,800	.3071	1,3	36	8
B041A07900CPG	B042A07900CPG	7,900	.3110	1,3	36	8
B041A07938CPG	B042A07938CPG	7,938	.3125	1,3	36	8
B041A08000CPG	B042A08000CPG	8,000	.3150	1,4	36	8
B041A08100CPG	B042A08100CPG	8,100	.3189	1,4	40	10
B041A08200CPG	B042A08200CPG	8,200	.3228	1,4	40	10
B041A08300CPG	B042A08300CPG	8,300	.3268	1,4	40	10
B041A08334CPG	B042A08334CPG	8,334	.3281	1,4	40	10
B041A08400CPG	B042A08400CPG	8,400	.3307	1,4	40	10
B041A08433CPG	B042A08433CPG	8,433	.3320	1,4	40	10
B041A08500CPG	B042A08500CPG	8,500	.3346	1,4	40	10
B041A08600CPG	B042A08600CPG	8,600	.3386	1,5	40	10
B041A08700CPG	B042A08700CPG	8,700	.3425	1,5	40	10
B041A08733CPG	B042A08733CPG	8,733	.3438	1,5	40	10
B041A08800CPG	B042A08800CPG	8,800	.3465	1,5	40	10
B041A08900CPG	B042A08900CPG	8,900	.3504	1,5	40	10
B041A09000CPG	B042A09000CPG	9,000	.3543	1,5	40	10
B041A09100CPG	B042A09100CPG	9,100	.3583	1,5	40	10
B041A09129CPG	B042A09129CPG	9,129	.3594	1,6	40	10
B041A09200CPG	B042A09200CPG	9,200	.3622	1,6	40	10
B041A09300CPG	B042A09300CPG	9,300	.3661	1,6	40	10
B041A09347CPG	B042A09347CPG	9,347	.3680	1,6	40	10

(pokračování na další straně)

(B041A/B042A • ~3 x D/~5 x D — pokračování)

Karbidové vrtáky



- první volba
- alternativní volba


průměr D1

krátké • KC7325	dlouhé • KC7325	mm	palce	L5	LS	D
B041A09400CPG	B042A09400CPG	9,400	.3701	1,6	40	10
B041A09500CPG	B042A09500CPG	9,500	.3740	1,6	40	10
B041A09525CPG	B042A09525CPG	9,525	.3750	1,6	40	10
B041A09600CPG	B042A09600CPG	9,600	.3780	1,6	40	10
B041A09700CPG	B042A09700CPG	9,700	.3819	1,7	40	10
B041A09800CPG	B042A09800CPG	9,800	.3858	1,7	40	10
B041A09900CPG	B042A09900CPG	9,900	.3898	1,7	40	10
B041A09921CPG	B042A09921CPG	9,921	.3906	1,7	40	10
B041A10000CPG	B042A10000CPG	10,000	.3937	1,7	40	10
B041A10100CPG	B042A10100CPG	10,100	.3976	1,7	45	12
B041A10200CPG	B042A10200CPG	10,200	.4016	1,7	45	12
B041A10300CPG	B042A10300CPG	10,300	.4055	1,8	45	12
B041A10320CPG	B042A10320CPG	10,320	.4063	1,8	45	12
B041A10400CPG	B042A10400CPG	10,400	.4094	1,8	45	12
B041A10500CPG	B042A10500CPG	10,500	.4134	1,8	45	12
B041A10600CPG	B042A10600CPG	10,600	.4173	1,8	45	12
B041A10700CPG	B042A10700CPG	10,700	.4213	1,8	45	12
B041A10716CPG	B042A10716CPG	10,716	.4219	1,8	45	12
B041A10800CPG	B042A10800CPG	10,800	.4252	1,8	45	12
B041A10900CPG	B042A10900CPG	10,900	.4291	1,9	45	12
B041A11000CPG	B042A11000CPG	11,000	.4331	1,9	45	12
B041A11100CPG	B042A11100CPG	11,100	.4370	1,9	45	12
B041A11113CPG	B042A11113CPG	11,113	.4375	1,9	45	12
B041A11200CPG	B042A11200CPG	11,200	.4409	1,9	45	12
B041A11300CPG	B042A11300CPG	11,300	.4449	1,9	45	12
B041A11400CPG	B042A11400CPG *	11,400	.4488	2,0	45	12
B041A11500CPG	B042A11500CPG	11,500	.4528	2,0	45	12
B041A11509CPG	B042A11509CPG	11,509	.4531	2,0	45	12
B041A11600CPG	B042A11600CPG	11,600	.4567	2,0	45	12
B041A11700CPG	B042A11700CPG	11,700	.4606	2,0	45	12
B041A11800CPG	B042A11800CPG	11,800	.4646	2,0	45	12
B041A11900CPG	B042A11900CPG	11,900	.4685	2,0	45	12
B041A11908CPG	B042A11908CPG	11,908	.4688	2,0	45	12
B041A12000CPG	B042A12000CPG	12,000	.4724	2,1	45	12
B041A12100CPG	B042A12100CPG	12,100	.4764	2,1	45	14
B041A12200CPG	B042A12200CPG	12,200	.4803	2,1	45	14
B041A12300CPG	B042A12300CPG	12,300	.4843	2,1	45	14
B041A12304CPG	B042A12304CPG	12,304	.4844	2,1	45	14
B041A12400CPG	B042A12400CPG *	12,400	.4882	2,1	45	14
B041A12500CPG	B042A12500CPG	12,500	.4921	2,1	45	14
B041A12600CPG	B042A12600CPG	12,600	.4961	2,2	45	14
B041A12700CPG	B042A12700CPG	12,700	.5000	2,2	45	14
B041A12800CPG	B042A12800CPG	12,800	.5039	2,2	45	14
B041A12900CPG	B042A12900CPG	12,900	.5079	2,2	45	14
B041A13000CPG	B042A13000CPG	13,000	.5118	2,2	45	14
B041A13096CPG	B042A13096CPG	13,096	.5156	2,3	45	14
B041A13100CPG	B042A13100CPG	13,100	.5157	2,3	45	14
B041A13200CPG	B042A13200CPG	13,200	.5197	2,3	45	14
B041A13300CPG	B042A13300CPG	13,300	.5236	2,3	45	14
B041A13400CPG	B042A13400CPG	13,400	.5276	2,3	45	14
B041A13500CPG	B042A13500CPG	13,500	.5315	2,3	45	14
B041A13600CPG	B042A13600CPG	13,600	.5354	2,3	45	14

(pokračování na další straně)

(B041A/B042A • ~3 x D/~5 x D — pokračování)

Karbidové vrtáky



- první volba
- alternativní volba

průměr D1

krátké • KC7325	dlouhé • KC7325	mm	palce	L5	LS	D
B041A13700CPG	B042A13700CPG	13,700	.5394	2,4	45	14
B041A13800CPG	B042A13800CPG	13,800	.5433	2,4	45	14
B041A13891CPG	B042A13891CPG	13,891	.5469	2,4	45	14
B041A13900CPG	B042A13900CPG	13,900	.5472	2,4	45	14
B041A14000CPG	B042A14000CPG	14,000	.5512	2,4	45	14
B041A14100CPG	B042A14100CPG	14,100	.5551	2,4	48	16
B041A14200CPG	B042A14200CPG	14,200	.5591	2,5	48	16
B041A14288CPG	B042A14288CPG	14,288	.5625	2,5	48	16
B041A14300CPG	B042A14300CPG	14,300	.5630	2,5	48	16
B041A14400CPG	B042A14400CPG	14,400	.5669	2,5	48	16
B041A14500CPG	B042A14500CPG	14,500	.5709	2,5	48	16
B041A14600CPG	B042A14600CPG	14,600	.5748	2,5	48	16
B041A14684CPG	B042A14684CPG	14,684	.5781	2,5	48	16
B041A14700CPG	B042A14700CPG	14,700	.5787	2,5	48	16
B041A14800CPG	B042A14800CPG	14,800	.5827	2,6	48	16
B041A14900CPG	B042A14900CPG	14,900	.5866	2,6	48	16
B041A15000CPG	B042A15000CPG	15,000	.5906	2,6	48	16
B041A15083CPG	B042A15083CPG	15,083	.5938	2,6	48	16
B041A15100CPG	B042A15100CPG	15,100	.5945	2,6	48	16
B041A15200CPG	B042A15200CPG	15,200	.5984	2,6	48	16
B041A15300CPG	B042A15300CPG	15,300	.6024	2,6	48	16
B041A15400CPG	B042A15400CPG	15,400	.6063	2,7	48	16
B041A15479CPG	B042A15479CPG	15,479	.6094	2,7	48	16
B041A15500CPG	B042A15500CPG	15,500	.6102	2,7	48	16
B041A15600CPG	B042A15600CPG	15,600	.6142	2,7	48	16
B041A15700CPG	B042A15700CPG	15,700	.6181	2,7	48	16
B041A15800CPG	B042A15800CPG	15,800	.6220	2,7	48	16
B041A15875CPG	B042A15875CPG	15,875	.6250	2,7	48	16
B041A15900CPG	B042A15900CPG	15,900	.6260	2,8	48	16
B041A16000CPG	B042A16000CPG	16,000	.6299	2,8	48	16
B041A16100CPG	B042A16100CPG	16,100	.6339	2,8	48	18
B041A16200CPG	B042A16200CPG	16,200	.6378	2,8	48	18
B041A16271CPG	B042A16271CPG	16,271	.6406	2,8	48	18
B041A16300CPG	B042A16300CPG	16,300	.6417	2,8	48	18
B041A16400CPG	B042A16400CPG	16,400	.6457	2,8	48	18
B041A16500CPG	B042A16500CPG	16,500	.6496	2,9	48	18
B041A16600CPG	B042A16600CPG	16,600	.6535	2,9	48	18
B041A16670CPG	B042A16670CPG	16,670	.6563	2,9	48	18
B041A16700CPG	B042A16700CPG	16,700	.6575	2,9	48	18
B041A16800CPG	B042A16800CPG	16,800	.6614	2,9	48	18
B041A16900CPG	B042A16900CPG	16,900	.6654	2,9	48	18
B041A17000CPG	B042A17000CPG	17,000	.6693	2,9	48	18
B041A17100CPG	B042A17100CPG	17,100	.6732	3,0	48	18
B041A17200CPG	B042A17200CPG	17,200	.6772	3,0	48	18
B041A17300CPG	B042A17300CPG	17,300	.6811	3,0	48	18
B041A17400CPG	B042A17400CPG	17,400	.6850	3,0	48	18
B041A17463CPG	B042A17463CPG	17,463	.6875	3,0	48	18
B041A17500CPG	B042A17500CPG	17,500	.6890	3,0	48	18
B041A17600CPG	B042A17600CPG	17,600	.6929	3,1	48	18
B041A17700CPG	B042A17700CPG	17,700	.6969	3,1	48	18
B041A17800CPG	B042A17800CPG	17,800	.7008	3,1	48	18
B041A17859CPG	B042A17859CPG	17,859	.7031	3,1	48	18

(pokračování na další straně)

(B041A/B042A • ~3 x D/~5 x D — pokračování)

		průměr D1				
		mm	palce	L5	LS	D
	krátké • KC7325					
	B041A17900CPG	17,900	.7047	3,1	48	18
	dlouhé • KC7325					
	B042A18000CPG	18,000	.7087	3,1	48	18
	B041A18100CPG	18,100	.7126	3,1	50	20
	B041A18200CPG	18,200	.7165	3,2	50	20
	B041A18258CPG	18,258	.7188	3,2	50	20
	B041A18300CPG	18,300	.7205	3,2	50	20
	B041A18400CPG	18,400	.7244	3,2	50	20
	B041A18500CPG	18,500	.7283	3,2	50	20
	B041A18600CPG	18,600	.7323	3,2	50	20
	B041A18654CPG	18,654	.7344	3,2	50	20
	B041A18700CPG	18,700	.7362	3,2	50	20
	B041A18800CPG	18,800	.7402	3,3	50	20
	B041A18900CPG	18,900	.7441	3,3	50	20
	B041A19000CPG	19,000	.7480	3,3	50	20
	B041A19050CPG	19,050	.7500	3,3	50	20
	B041A19100CPG	19,100	.7520	3,3	50	20
	B041A19200CPG	19,200	.7559	3,3	50	20
	B041A19300CPG	19,300	.7598	3,4	50	20
	B041A19400CPG	19,400	.7638	3,4	50	20
	B041A19500CPG	19,500	.7677	3,4	50	20
	B041A19600CPG	19,600	.7717	3,4	50	20
	B041A19700CPG	19,700	.7756	3,4	50	20
	B041A19800CPG	19,800	.7795	3,4	50	20
	B041A19900CPG	19,900	.7835	3,5	50	20
	B041A20000CPG	20,000	.7874	3,5	50	20

- první volba
- alternativní volba

POZNÁMKA: *Platí standardní ceny, dodací termíny a minimální objednané množství MOQ. Standardní položka na objednávku.